

vizulo


Woodpecker

CE RoHS

Woodpecker




Small



Other colors
available on request

Large



*Max cable length 2m

Technical information



IP65⁽⁴⁾



RoHS

V	220 - 240
Hz	50 - 60
W	15 - 28
lm	1850 - 3380
lm/W	121 - 123
K	3000 / 4000 ⁽¹⁾
°C	-40 to +50
CRI	>70 / >80

DALI; Midnight dimming
 Chromaticity tolerance (initial MacAdam): 5
 Warranty 5 years
 100 000 h (L90B10) at Ta = 25 °C ⁽³⁾

Surge protection: 6 kV, 10 kV (optional) ⁽²⁾
Console: Side-entry / Hanging / Post top
Body: Extruded aluminum
Intelligent light control system: RF (radio frequency) / Power line ⁽³⁾

⁽¹⁾ 5000; 5700 K available on request

⁽²⁾ 10 kV (L-N; L/N-PE) surge protection device available on request


⁽³⁾ at Ta=25°, this value is only informative and may change according to selected article

⁽⁴⁾ For LED module only


4000K	<i>Small</i>			<i>Large</i>		
Number of LED's	12			24		
Nominal current, mA	350	500	700	350	500	700
Power, W	15	20	28	27	38	52
Luminous Flux, lm	1980	2690	3600	3890	5360	7130
Efficacy, lm/W	132	135	129	144	141	137
Power factor, PF	0,85	0,92	0,96	0,92	0,95	0,97

Pole

Available with
decorative poles




Model name principles




EXAMPLE WP 015 730 W99 R024 CB18 NG2

Optics


01




04




05




20



22



35




Accessories

Connector

Art. 70000313


IP66 rated connector offers easy installation of the street luminaires.
3 wire cable connector



Connector

Art. 70000304


IP66 rated connector offers easy installation of the street luminaires.
5 wire cable connector



Pre-installed cable sets

For internal power supply:


3 x 1,5 mm - 0,5 m long cable.....	Art. 70000319
3 x 1,5 mm - 5 m long cable.....	Art. 70000320
3 x 1,5 mm - 6 m long cable.....	Art. 70000321
3 x 1,5 mm - 8 m long cable.....	Art. 70000322
3 x 1,5 mm - 10 m long cable.....	Art. 70000323
3 x 1,5 mm - 12 m long cable.....	Art. 70000324
3 x 1,5 mm - 18 m long cable.....	Art. 70000325
3 x 1,5 mm - 20 m long cable.....	Art. 70000425
3 x 1,5 mm - 22 m long cable.....	Art. 70000426
3 x 1,5 mm - 25 m long cable.....	Art. 70000427
3 x 1,5 mm - 32 m long cable.....	Art. 70000430
3 x 1,5 mm - 42 m long cable.....	Art. 70000431
3 x 1,5 mm - 50 m long cable.....	Art. 70000432



Pre-installed cable sets

For internal power supply:

5 x 1,5 mm - 0,5 m long cable.....	Art. 70000305
5 x 1,5 mm - 5 m long cable.....	Art. 70000316
5 x 1,5 mm - 6 m long cable.....	Art. 70000317
5 x 1,5 mm - 8 m long cable.....	Art. 70000318
5 x 1,5 mm - 10 m long cable.....	Art. 70000306
5 x 1,5 mm - 12 m long cable.....	Art. 70000307
5 x 1,5 mm - 18 m long cable.....	Art. 70000308
5 x 1,5 mm - 20 m long cable.....	Art. 70000428
5 x 1,5 mm - 22 m long cable.....	Art. 70000429
5 x 1,5 mm - 25 m long cable.....	Art. 70000429
5 x 1,5 mm - 32 m long cable.....	Art. 70000433
5 x 1,5 mm - 42 m long cable.....	Art. 70000434
5 x 1,5 mm - 50 m long cable.....	Art. 70000435



VIZULO

Starta street 1
Riga, LV – 1026, Latvia

Sales: + 371 67 383 023
Production: + 371 67 383 024

office@vizulo.com
www.vizulo.com



VIZULO



VIZULO_PHOTO